Differentiation (1990) 45:258–277

Differentiation
Ontogeny and Neoplasia
© Springer-Verlag 1990

Subject Index (Volumes 43–45, 1990)

Acetylcholine receptor

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

Actins

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

S.M. Brennan
Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in *Xenopus laevis*, 44, 111–121

R.D. Cox, I. Garner, M.E. Buckingham
Transcriptional regulation of actin and myosin genes during differentiation of a mouse muscle cell line, 43, 183–191

P. Einat, M. Shani, D. Yaffe
The amount of the endogenous and exogenous skeletal muscle actin mRNA in the heart of transgenic mice is affected by the genotype of the cardiac actin gene, 44, 36–41

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

L. Langbein, H. Kosmehl, D. Katenkamp, G. Neupert, K.-J. Stiller
Experimentally induced murine rhabdomyosarcomas – correlation between cellular contacts, matrix formation and cellular differentiation, 44, 185–196

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

A. Schmitt-Gräff, H. Pau, R. Spahr, H.M. Piper, O. Skalli, G. Gabbiani
Appearance of alpha-smooth muscle actin in human eye lens cells of anterior capsular cataract and in cultured bovine lens-forming cells, 43, 115–122

Adhesion

L. Langbein, H. Kosmehl, D. Katenkamp, G. Neupert, K.-J. Stiller
Experimentally induced murine rhabdomyosarcomas – correlation between cellular contacts, matrix formation and cellular differentiation, 44, 185–196

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Adipogenesis

R.L. Stone, D.A. Bernlohr
The molecular basis for inhibition of adipose conversion of murine 3T3-L1 cells by retinoic acid, 45, 119–127

ADP-ribosylation

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

J.R. Kuykendall, R. Cox
2-Aminobenzamide, an inhibitor of ADP-ribosylation, antagonizes induced DNA hypomethylation during differentiation of murine Friend erythroleukemia cells by N′-methylnicotinamide, 44, 69–73

ADP-ribosyltransferase

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

Differentiation (1990) 45:258–277

Differentiation
Ontogeny and Neoplasia
© Springer-Verlag 1990

Subject Index (Volumes 43–45, 1990)

Acetylcholine receptor

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

Actins

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

S.M. Brennan
Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in *Xenopus laevis*, 44, 111–121

R.D. Cox, I. Garner, M.E. Buckingham
Transcriptional regulation of actin and myosin genes during differentiation of a mouse muscle cell line, 43, 183–191

P. Einat, M. Shani, D. Yaffe
The amount of the endogenous and exogenous skeletal muscle actin mRNA in the heart of transgenic mice is affected by the genotype of the cardiac actin gene, 44, 36–41

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

L. Langbein, H. Kosmehl, D. Katenkamp, G. Neupert, K.-J. Stiller
Experimentally induced murine rhabdomyosarcomas – correlation between cellular contacts, matrix formation and cellular differentiation, 44, 185–196

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

A. Schmitt-Gräff, H. Pau, R. Spahr, H.M. Piper, O. Skalli, G. Gabbiani
Appearance of alpha-smooth muscle actin in human eye lens cells of anterior capsular cataract and in cultured bovine lens-forming cells, 43, 115–122

Adhesion

L. Langbein, H. Kosmehl, D. Katenkamp, G. Neupert, K.-J. Stiller
Experimentally induced murine rhabdomyosarcomas – correlation between cellular contacts, matrix formation and cellular differentiation, 44, 185–196

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Adipogenesis

R.L. Stone, D.A. Bernlohr
The molecular basis for inhibition of adipose conversion of murine 3T3-L1 cells by retinoic acid, 45, 119–127

ADP-ribosylation

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

J.R. Kuykendall, R. Cox
2-Aminobenzamide, an inhibitor of ADP-ribosylation, antagonizes induced DNA hypomethylation during differentiation of murine Friend erythroleukemia cells by N′-methylnicotinamide, 44, 69–73

ADP-ribosyltransferase

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

Adrenal cells

N. Auersperg, I.A. MacLaren, M.J. Bissell
V-K-ras transformation induces reversion to an earlier developmental form in adult rat adrenal cells, 43, 29–36

Albumin

P. Schmid, W.A. Schulz
Coexpression of the C-MYC protooncogene with α-fetoprotein and albumin in fetal mouse liver, 45, 96–102

Alkaline phosphatase

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Alpha-fetoprotein

P. Schmid, W.A. Schulz
Coexpression of the C-MYC protooncogene with α-fetoprotein and albumin in fetal mouse liver, 45, 96–102

Ambystoma

A.C. Graveson, J.B. Armstrong
The premature death (*p*) mutation of *Ambystoma mexicanum* affects a subpopulation of neural crest cells, 45, 71–75

Amine oxidases

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

Amphibia

V.P. Bozhkova, L.V. Sharova, D.A. Voronov
Ca^{2+}-induced change of dorsal-ventral polarity in frog (*Rana temporaria*) eggs, 44, 173–177

S.M. Brennan
Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in *Xenopus laevis*, 44, 111–121

S. Filoni, L. Paglialunga
Effect of denervation on hindlimb regeneration in *Xenopus laevis* larvae, 43, 10–19

A.C. Graveson, J.B. Armstrong
The premature death (*p*) mutation of *Ambystoma mexicanum* affects a subpopulation of neural crest cells, 45, 71–75

F. Herzberg, A. Pöting, D. Wedlich
Identification of Ca^{2+}-dependent cell adhesion molecules in *Xenopus* by the use of interspecies homology, 44, 1–7

S.E. LaFlamme, I.B. Dawid
XK endo B is preferentially expressed in several induced embryonic tissues during the development of *Xenopus laevis*, 43, 1–9

A. Pöting, K. Danker, L. Hartmann, M. Köster, D. Wedlich, W. Knöchel
Two different mRNAs coding for identical elongation factor 1α(EF-1α) polypeptides in *Xenopus laevis* embryos, 44, 103–110

Astrocytes

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

Axolotl

A.C. Graveson, J.B. Armstrong
The premature death (*p*) mutation of *Ambystoma mexicanum* affects a subpopulation of neural crest cells, 45, 71–75

Basal lamina, basement membrane

A. Damjanov, U.M. Wewer, B. Tuma, I. Damjanov
Basement membrane components secreted by mouse yolk sac carcinoma cell lines, 45, 84–95

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

N. Zagris, A.E. Chung
Distribution and functional role of laminin during induction of the embryonic axis in the chick embryo, 43, 81–86

Basic fibroblast growth factor

A. Cirillo, C. Arruti, Y. Courtois, J.-C. Jeanny
Localization of basic fibroblast growth factor binding sites in the chick embryonic neural retina, 45, 161–167

Bile duct cells

N.V. Engelhardt, V.M. Factor, A.K. Yasova, V.S. Poltoranina, V.N. Baranov, M.N. Lasareva
Common antigens of mouse oval and biliary epithelial cells. Expression on newly formed hepatocytes, 45, 29–37

Blastocele

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Blastocele fluid

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Blastocyst

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Blood vessel cells

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

Bone formation

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Bone tumors

R. Goralczyk, E.I. Closs, U. Rüther, E.F. Wagner, P.G. Strauss, V. Erfle, J. Schmidt
Characterization of *fos*-induced osteogenic tumours and tumour-derived murine cell lines, 44, 122–131

Bronchiolar epithelium

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Bullous pemphigoid

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

CA125 antigen

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

cAMP

Y. Yamada, K. Okamoto
Three steps in prespore differentiation in *Dictyostelium discoideum* with different requirements of cellular interaction, 44, 81–87

Carcinogenesis

N.V. Engelhardt, V.M. Factor, A.K. Yasova, V.S. Poltoranina, V.N. Baranov, M.N. Lasareva
Common antigens of mouse oval and biliary epithelial cells. Expression on newly formed hepatocytes, 45, 29–37

Cardiac muscle

P. Einat, M. Shani, D. Yaffe
The amount of the endogenous and exogenous skeletal muscle actin mRNA in the heart of transgenic mice is affected by the genotype of the cardiac actin gene, 44, 36–41

Cartilage

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

F. Mallein-Gerin, F. Ruggiero, R. Garrone
Proteoglycan core protein and type II collagen gene expressions are not correlated with cell shape changes during low density chondrocyte cultures, 43, 204–211

G. Maor, S. Salzberg, M. Silbermann
The activity of 2,5-oligoadenylate synthetase, an interferon-induced enzyme, is coupled to the differentiation state of mouse condylar cartilage, 44, 18–24

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Cataract

A. Schmitt-Gräff, H. Pau, R. Spahr, H.M. Piper, O. Skalli, G. Gabbiani
Appearance of alpha-smooth muscle actin in human eye lens cells of anterior capsular cataract and in cultured bovine lens-forming cells, 43, 115–122

Cell adhesion molecules

F. Herzberg, A. Pöting, D. Wedlich
Identification of Ca^{2+}-dependent cell adhesion molecules in *Xenopus* by the use of interspecies homology, 44, 1–7

R. Probstmeier, R. Martini, R. Tacke, M. Schachner
Expression of the adhesion molecules L1, N-CAM and J1/tenascin during development of the murine small intestine, 44, 42–55

Cell contact

L. Edelstein-Keshet, G.B. Ermentrout
Contact response of cells can mediate morphogenetic pattern formation, 45, 147–159

Cell death

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Cell interaction

L.M. Chailakhyan
Ligand-receptor and junction-mediated cell-cell interactions: comparison of the two principles, 45, 1–6

L. Edelstein-Keshet, G.B. Ermentrout
Contact response of cells can mediate morphogenetic pattern formation, 45, 147–159

Cell polarity

V.P. Bozhkova, L.V. Sharova, D.A. Voronov
Ca^{2+}-induced change of dorsal-ventral polarity in frog (*Rana temporaria*) eggs, 44, 173–177

Cell proliferation

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Cell shape changes

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

F. Mallein-Gerin, F. Ruggiero, R. Garrone
Proteoglycan core protein and type II collagen gene expressions are not correlated with cell shape changes during low density chondrocyte cultures, 43, 204–211

Cell surface antigens

P.W. Andrews, E. Nudelman, S.-I. Hakomori, B.A. Fenderson
Different patterns of glycolipid antigens are expressed following differentiation of TERA-2 human embryonal carcinoma cells induced by retinoic acid, hexamethylene bisacetamide (HMBA) or bromodeoxyuridine (BUdR), 43, 131–138

S. Griegel, K. Heise, A. Kindler-Röhrborn, M.F. Rajewsky
In vitro differentiation of human retinoblastoma cells into neuronal phenotypes, 45, 250–257

Cell surface proteins

S. Keeble, F.M. Watt
Characterisation of the peanut lectin-binding glycoproteins of human epidermal keratinocytes, 43, 139–145

D.D. Taylor, C.G. Taylor, P.H. Black, C.-g. Jiang, I.N. Chou
Alterations of cellular characteristics of a human ovarian teratocarcinoma cell line after in vitro treatment with retinoids, 43, 123–130

Cell surface receptors

L.M. Chailakhyan
Ligand-receptor and junction-mediated cell-cell interactions: comparison of the two principles, 45, 1–6

Cell transformation

R. Goralczyk, E.I. Closs, U. Rüther, E.F. Wagner, P.G. Strauss, V. Erfle, J. Schmidt
Characterization of *fos*-induced osteogenic tumours and tumour-derived murine cell lines, 44, 122–131

Cell type commitment

S. Griegel, K. Heise, A. Kindler-Röhrborn, M.F. Rajewsky
In vitro differentiation of human retinoblastoma cells into neuronal phenotypes, 45, 250–257

Chicken embryogenesis

A. Andrew, B.B. Rawdon
Intestinal mesenchyme provokes differentiation of intestinal endocrine cells in gizzard endoderm, 43, 165–174

S. Düsterhöft, D. Pette
Effects of electrically induced contractile activity on cultured embryonic chick breast muscle cells, 44, 178–184

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

F. Zaccanti, M. Vallisneri, A. Quaglia
Early aspects of sex differentiation in the gonads of chick embryos, 43, 71–80

N. Zagris, A.E. Chung
Distribution and functional role of laminin during induction of the embryonic axis in the chick embryo, 43, 81–86

Chondrocytes

R. Goralczyk, E.I. Closs, U. Rüther, E.F. Wagner, P.G. Strauss, V. Erfle, J. Schmidt
Characterization of *fos*-induced osteogenic tumours and tumour-derived murine cell lines, 44, 122–131

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

F. Mallein-Gerin, F. Ruggiero, R. Garrone
Proteoglycan core protein and type II collagen gene expressions are not correlated with cell shape changes during low density chondrocyte cultures, 43, 204–211

G. Maor, S. Salzberg, M. Silbermann
The activity of 2,5-oligoadenylate synthetase, an interferon-induced enzyme, is coupled to the differentiation state of mouse condylar cartilage, 44, 18–24

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Chondrogenesis

A.C. Graveson, J.B. Armstrong
The premature death (*p*) mutation of *Ambystoma mexicanum* affects a subpopulation of neural crest cells, 45, 71–75

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Chondroitin sulfate

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

M.P. Mark, J.R. Baker, K. Morrison, J.V. Ruch
Chondroitin sulfates in developing mouse tooth germs. An immunohistochemical study with monoclonal antibodies against chondroitin-4 and chondroitin-6 sulfates, 43, 37–50

Chromatin

R. Tawa, T. Ono, A. Kurishita, S. Okada, S. Hirose
Changes of DNA methylation level during pre- and postnatal periods in mice, 45, 44–48

Collagen gels

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Collagen synthesis

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Collagenolysis

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Collagens

F. Mallein-Gerin, F. Ruggiero, R. Garrone
Proteoglycan core protein and type II collagen gene expressions are not correlated with cell shape changes during low density chondrocyte cultures, 43, 204–211

G. Maor, S. Salzberg, M. Silbermann
The activity of 2,5-oligoadenylate synthetase, an interferon-induced enzyme, is coupled to the differentiation state of mouse condylar cartilage, 44, 18–24

Connexins

L.M. Chailakhyan
Ligand-receptor and junction-mediated cell-cell interactions: comparison of the two principles, 45, 1–6

Cornea

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Craniofacial differentiation

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

Creatine kinase

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

Cytokeratins

B.L. Bader, W.W. Franke
Cell type-specific and efficient synthesis of human cytokeratin 19 in transgenic mice, 45, 109–118

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

S.E. LaFlamme, I.B. Dawid
XK endo B is preferentially expressed in several induced embryonic tissues during the development of *Xenopus laevis*, 43, 1–9

K. Lindberg, J.G. Rheinwald
Three distinct keratinocyte subtypes identified in human oral epithelium by their patterns of keratin expression in culture and in xenografts, 45, 230–241

C. Mørk, B. van Deurs, O.W. Petersen
Regulation of vimentin expression in cultured human mammary epithelial cells, 43, 146–156

P. Stosiek, M. Kasper, U. Karsten
Expression of cytokeratins 8 and 18 in human Sertoli cells of immature and atrophic seminiferous tubules, 43, 66–70

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation state of a distinct CpG site in the remote 5′-flanking region of the gene, 43, 105–114

Cytoskeleton

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

B.L. Bader, W.W. Franke
Cell type-specific and efficient synthesis of human cytokeratin 19 in transgenic mice, 45, 109–118

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

S.M. Brennan
Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in *Xenopus laevis*, 44, 111–121

R.D. Cox, I. Garner, M.E. Buckingham
Transcriptional regulation of actin and myosin genes during differentiation of a mouse muscle cell line, 43, 183–191

P. Einat, M. Shani, D. Yaffe
The amount of the endogenous and exogenous skeletal muscle actin mRNA in the heart of transgenic mice is affected by the genotype of the cardiac actin gene, 44, 36–41

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

S.E. LaFlamme, I.B. Dawid
XK endo B is preferentially expressed in several induced embryonic tissues during the development of *Xenopus laevis*, 43, 1–9

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

C. Mørk, B. van Deurs, O.W. Petersen
Regulation of vimentin expression in cultured human mammary epithelial cells, 43, 146–156

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

A. Schmitt-Gräff, H. Pau, R. Spahr, H.M. Piper, O. Skalli, G. Gabbiani
Appearance of alpha-smooth muscle actin in human eye lens cells of anterior capsular cataract and in cultured bovine lens-forming cells, 43, 115–122

P. Stosiek, M. Kasper, U. Karsten
Expression of cytokeratins 8 and 18 in human Sertoli cells of immature and atrophic seminiferous tubules, 43, 66–70

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation state of a distinct CpG site in the remote 5′-flanking region of the gene, 43, 105–114

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

Cytotoxic factor

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

K. Lindberg, J.G. Rheinwald
Three distinct keratinocyte subtypes identified in human oral epithelium by their patterns of keratin expression in culture and in xenografts, 45, 230–241

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Denervation

S.Filoni, L. Paglialunga
Effect of denervation on hindlimb regeneration in *Xenopus laevis* larvae, 43, 10–19

Dermis

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

Desmin

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

Desmosomes

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Developmental mutants

A.C. Graveson, J.B. Armstrong
The premature death (*p*) mutation of *Ambystoma mexicanum* affects a subpopulation of neural crest cells, 45, 71–75

Dictyostelium

L. Kwong, G. Weeks
The effects of presumptive morphogens on prestalk and prespore gene expression in monolayers of *Dictyostelium discoideum*, 44, 88–94

B. Wetterauer, H.K. MacWilliams
A developmental shift in cell volume regulation in *Dictyostelium discoideum*, 45, 14–20

Y. Yamada, K. Okamoto
Three steps in prespore differentiation in *Dictyostelium discoideum* with different requirements of cellular interaction, 44, 81–87

Differentiation markers

N.V. Engelhardt, V.M. Factor, A.K. Yasova, V.S. Poltoranina, V.N. Baranov, M.N. Lasareva
Common antigens of mouse oval and biliary epithelial cells. Expression on newly formed hepatocytes, 45, 29–37

S. Griegel, K. Heise, A. Kindler-Röhrborn, M.F. Rajewsky
In vitro differentiation of human retinoblastoma cells into neuronal phenotypes, 45, 250–257

DNA methylation

J.R. Kuykendall, R. Cox
2-Aminobenzamide, an inhibitor of ADP-ribosylation, antagonizes induced DNA hypomethylation during differentiation of murine Friend erythroleukemia cells by N′-methylnicotinamide, 44, 69–73

R. Tawa, T. Ono, A. Kurishita, S. Okada, S. Hirose
Changes of DNA methylation level during pre- and postnatal periods in mice, 45, 44–48

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation state of a distinct CpG site in the remote 5′-flanking region of the gene, 43, 105–114

DNA synthesis

V. Schmid, G. Plickert
The proportion altering factor (PAF) and the in vitro transdifferentiation of isolated striated muscle of jellyfish into nerve cells, 44, 95–102

Dorso-ventral polarity

V.P. Bozhkova, L.V. Sharova, D.A. Voronov
Ca^{2+}-induced change of dorsal-ventral polarity in frog (*Rana temporaria*) eggs, 44, 173–177

Double-stranded RNA

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

EGF

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Electrical stimulation

S. Düsterhöft, D. Pette
Effects of electrically induced contractile activity on cultured embryonic chick breast muscle cells, 44, 178–184

Elongation factors

A. Pöting, K. Danker, L. Hartmann, M. Köster, D. Wedlich, W. Knöchel
Two different mRNAs coding for identical elongation factor 1α(EF-1α) polypeptides in *Xenopus laevis* embryos, 44, 103–110

Embigin

R.-P. Huang, M. Ozawa, K. Kadomatsu, T. Muramatsu
Developmentally regulated expression of embigin, a member of the immunoglobulin superfamily found in embryonal carcinoma cells, 45, 76–83

Embryogenesis (amphibian)

V.P. Bozhkova, L.V. Sharova, D.A. Voronov
Ca^{2+}-induced change of dorsal-ventral polarity in frog (*Rana temporaria*) eggs, 44, 173–177

S.M. Brennan
Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in *Xenopus laevis*, 44, 111–121

S. Filoni, L. Paglialunga
Effect of denervation on hindlimb regeneration in *Xenopus laevis* larvae, 43, 10–19

A.C. Graveson, J.B. Armstrong
The premature death (*p*) mutation of *Ambystoma mexicanum* affects a subpopulation of neural crest cells, 45, 71–75

F. Herzberg, A. Pöting, D. Wedlich
Identification of Ca^{2+}-dependent cell adhesion molecules in *Xenopus* by the use of interspecies homology, 44, 1–7

S.E. LaFlamme, I.B. Dawid
XK endo B is preferentially expressed in several induced embryonic tissues during the development of *Xenopus laevis*, 43, 1–9

A. Pöting, K. Danker, L. Hartmann, M. Köster, D. Wedlich, W. Knöchel
Two different mRNAs coding for identical elongation factor 1α(EF-1α) polypeptides in *Xenopus laevis* embryos, 44, 103–110

Embryogenesis (chicken)

A. Andrew, B.B. Rawdon
Intestinal mesenchyme provokes differentiation of intestinal endocrine cells in gizzard endoderm, 43, 165–174

S. Düsterhöft, D. Pette
Effects of electrically induced contractile activity on cultured embryonic chick breast muscle cells, 44, 178–184

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

F. Zaccanti, M. Vallisneri, A. Quaglia
Early aspects of sex differentiation in the gonads of chick embryos, 43, 71–80

N. Zagris, A.E. Chung
Distribution and functional role of laminin during induction of the embryonic axis in the chick embryo, 43, 81–86

Embryogenesis (mammalian)

N. Auersperg, I.A. MacLaren, M.J. Bissell
V-K-ras transformation induces reversion to an earlier developmental form in adult rat adrenal cells, 43, 29–36

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

G. Barbieri, L. De Angelis, S. Feo, G. Cossu, A. Giallongo
Differential expression of muscle-specific enolase in embryonic and fetal myogenic cells during mouse development, 45, 179–184

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

D.C. Harnish, A.B. Barua, K.J. Soprano, D.R. Soprano
Induction of β-retinoic acid receptor mRNA by teratogenic doses of retinoids in murine fetuses, 45, 103–108

R.-P. Huang, M. Ozawa, K. Kadomatsu, T. Muramatsu
Developmentally regulated expression of embigin, a member of the immunoglobulin superfamily found in embryonal carcinoma cells, 45, 76–83

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

G. Maor, S. Salzberg, M. Silbermann
The activity of 2,5-oligoadenylate synthetase, an interferon-induced enzyme, is coupled to the differentiation state of mouse condylar cartilage, 44, 18–24

M.P. Mark, J.R. Baker, K. Morrison, J.V. Ruch
Chondroitin sulfates in developing mouse tooth germs. An immunohistochemical study with monoclonal antibodies against chondroitin-4 and chondroitin-6 sulfates, 43, 37–50

R. Probstmeier, R. Martini, R. Tacke, M. Schachner
Expression of the adhesion molecules L1, N-CAM and J1/tenascin during development of the murine small intestine, 44, 42–55

E.C. Salido, J. Lakshmanan, L.J. Shapiro, D.A. Fisher, L. Barajas
Expression of epidermal growth factor in the kidney and submandibular gland during mouse postnatal development. An immunocytochemical and in situ hybridization study, 45, 38–43

P. Schmid, W.A. Schulz
Coexpression of the C-MYC protooncogene with α-fetoprotein and albumin in fetal mouse liver, 45, 96–102

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Embryonal carcinoma cells

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

R.-P. Huang, M. Ozawa, K. Kadomatsu, T. Muramatsu
Developmentally regulated expression of embigin, a member of the immunoglobulin superfamily found in embryonal carcinoma cells, 45, 76–83

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Embryonal cell lines

A. Damjanov, U.M. Wewer, B. Tuma, I. Damjanov
Basement membrane components secreted by mouse yolk sac carcinoma cell lines, 45, 84–95

Embryonic retina

A. Cirillo, C. Arruti, Y. Courtois, J.-C. Jeanny
Localization of basic fibroblast growth factor binding sites in the chick embryonic neural retina, 45, 161–167

Endocervix

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Endoderm

A. Andrew, B.B. Rawdon
Intestinal mesenchyme provokes differentiation of intestinal endocrine cells in gizzard endoderm, 43, 165–174

Endometrium

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Enhancers

B.L. Bader, W.W. Franke
Cell type-specific and efficient synthesis of human cytokeratin 19 in transgenic mice, 45, 109–118

Enolase

G. Barbieri, L. De Angelis, S. Feo, G. Cossu, A. Giallongo
Differential expression of muscle-specific enolase in embryonic and fetal myogenic cells during mouse development, 45, 179–184

Entactin

A. Damjanov, U.M. Wewer, B. Tuma, I. Damjanov
Basement membrane components secreted by mouse yolk sac carcinoma cell lines, 45, 84–95

Epidermal differentiation

D. Asselineau, B.A. Dale, B.A. Bernard
Filaggrin production by cultured human epidermal keratinocytes and its regulation by retinoic acid, 45, 221–229

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

P. Boukamp, D. Breitkreutz, H.-J. Stark, N.E. Fusenig
Mesenchyme-mediated and endogenous regulation of growth and differentiation of human skin keratinocytes derived from different body sites, 44, 150–161

S. Keeble, F.M. Watt
Characterisation of the peanut lectin-binding glycoproteins of human epidermal keratinocytes, 43, 139–145

Epidermal growth factor

E.C. Salido, J. Lakshmanan, L.J. Shapiro, D.A. Fisher, L. Barajas
Expression of epidermal growth factor in the kidney and submandibular gland during mouse postnatal development. An immunocytochemical and in situ hybridization study, 45, 38–43

Epidermis

D. Asselineau, B.A. Dale, B.A. Bernard
Filaggrin production by cultured human epidermal keratinocytes and its regulation by retinoic acid, 45, 221–229

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

P. Boukamp, D. Breitkreutz, H.-J. Stark, N.E. Fusenig
Mesenchyme-mediated and endogenous regulation of growth and differentiation of human skin keratinocytes derived from different body sites, 44, 150–161

S. Keeble, F.M. Watt
Characterisation of the peanut lectin-binding glycoproteins of human epidermal keratinocytes, 43, 139–145

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation state of a distinct CpG site in the remote 5′-flanking region of the gene, 43, 105–114

Epithelia

S.E. LaFlamme, I.B. Dawid
XK endo B is preferentially expressed in several induced embryonic tissues during the development of *Xenopus laevis*, 43, 1–9

A. Schmitt-Gräff, H. Pau, R. Spahr, H.M. Piper, O. Skalli, G. Gabbiani
Appearance of alpha-smooth muscle actin in human eye lens cells of anterior capsular cataract and in cultured bovine lens-forming cells, 43, 115–122

Epithelial differentiation

A. Andrew, B.B. Rawdon
Intestinal mesenchyme provokes differentiation of intestinal endocrine cells in gizzard endoderm, 43, 165–174

B.L. Bader, W.W. Franke
Cell type-specific and efficient synthesis of human cytokeratin 19 in transgenic mice, 45, 109–118

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

K. Lindberg, J.G. Rheinwald
Three distinct keratinocyte subtypes identified in human oral epithelium by their patterns of keratin expression in culture and in xenografts, 45, 230–241

C. Mørk, B. van Deurs, O.W. Petersen
Regulation of vimentin expression in cultured human mammary epithelial cells, 43, 146–156

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

R. Probstmeier, R. Martini, R. Tacke, M. Schachner
Expression of the adhesion molecules L1, N-CAM and J1/tenascin during development of the murine small intestine, 44, 42–55

H.C. Schaller, M. Hofmann, L.C. Javois
Effect of head activator on proliferation, head-specific determination and differentiation of epithelial cells in hydra, 43, 157–164

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation state of a distinct CpG site in the remote 5′-flanking region of the gene, 43, 105–114

Erythroleukemia cells

J.R. Kuykendall, R. Cox
2-Aminobenzamide, an inhibitor of ADP-ribosylation, antagonizes induced DNA hypomethylation during differentiation of murine Friend erythroleukemia cells by N′-methylnicotinamide, 44, 69–73

Erythropoiesis

J.R. Kuykendall, R. Cox
2-Aminobenzamide, an inhibitor of ADP-ribosylation, antagonizes induced DNA hypomethylation during differentiation of murine Friend erythroleukemia cells by N′-methylnicotinamide, 44, 69–73

Extracellular matrix

N. Auersperg, I.A. MacLaren, M.J. Bissell
V-K-ras transformation induces reversion to an earlier developmental form in adult rat adrenal cells, 43, 29–36

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

A. Damjanov, U.M. Wewer, B. Tuma, I. Damjanov
Basement membrane components secreted by mouse yolk sac carcinoma cell lines, 45, 84–95

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific

α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

M.P. Mark, J.R. Baker, K. Morrison, J.V. Ruch
Chondroitin sulfates in developing mouse tooth germs. An immunohistochemical study with monoclonal antibodies against chondroitin-4 and chondroitin-6 sulfates, 43, 37–50

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

N. Zagris, A.E. Chung
Distribution and functional role of laminin during induction of the embryonic axis in the chick embryo, 43, 81–86

Eye development

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

A. Schmitt-Gräff, H. Pau, R. Spahr, H.M. Piper, O. Skalli, G. Gabbiani
Appearance of alpha-smooth muscle actin in human eye lens cells of anterior capsular cataract and in cultured bovine lens-forming cells, 43, 115–122

Fertilization

V.P. Bozhkova, L.V. Sharova, D.A. Voronov
Ca^{2+}-induced change of dorsal-ventral polarity in frog (*Rana temporaria*) eggs, 44, 173–177

Fibroblast growth factor

A. Cirillo, C. Arruti, Y. Courtois, J.-C. Jeanny
Localization of basic fibroblast growth factor binding sites in the chick embryonic neural retina, 45, 161–167

Fibroblasts

L. Edelstein-Keshet, G.B. Ermentrout
Contact response of cells can mediate morphogenetic pattern formation, 45, 147–159

Fibronectin

A. Damjanov, U.M. Wewer, B. Tuma, I. Damjanov
Basement membrane components secreted by mouse yolk sac carcinoma cell lines, 45, 84–95

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

Filaggrin

D. Asselineau, B.A. Dale, B.A. Bernard
Filaggrin production by cultured human epidermal keratinocytes and its regulation by retinoic acid, 45, 221–229

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

P. Boukamp, D. Breitkreutz, H.-J. Stark, N.E. Fusenig
Mesenchyme-mediated and endogenous regulation of growth and differentiation of human skin keratinocytes derived from different body sites, 44, 150–161

Focal adhesions

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

Fos

R. Goralczyk, E.I. Closs, U. Rüther, E.F. Wagner, P.G. Strauss, V. Erfle, J. Schmidt
Characterization of *fos*-induced osteogenic tumours and tumour-derived murine cell lines, 44, 122–131

Gametogenesis

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

Gene expression

B.L. Bader, W.W. Franke
Cell type-specific and efficient synthesis of human cytokeratin 19 in transgenic mice, 45, 109–118

G. Barbieri, L. De Angelis, S. Feo, G. Cossu, A. Giallongo
Differential expression of muscle-specific enolase in embryonic and fetal myogenic cells during mouse development, 45, 179–184

S.M. Brennan
Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in *Xenopus laevis*, 44, 111–121

R.D. Cox, I. Garner, M.E. Buckingham
Transcriptional regulation of actin and myosin genes during differentiation of a mouse muscle cell line, 43, 183–191

S. Düsterhöft, D. Pette
Effects of electrically induced contractile activity on cultured embryonic chick breast muscle cells, 44, 178–184

P. Einat, M. Shani, D. Yaffe
The amount of the endogenous and exogenous skeletal muscle actin mRNA in the heart of transgenic mice is affected by the genotype of the cardiac actin gene, 44, 36–41

D.M. Faust, T. Imaizumi-Scherrer, M.-C. Fulchignoni-Lataud, A.-M. Catherin, I. Iost, M.C. Weiss
Activation of phenylalanine hydroxylase expression following genomic DNA transfection of hepatoma cells, 44, 74–79

D.C. Harnish, A.B. Barua, K.J. Soprano, D.R. Soprano
Induction of β-retinoic acid receptor mRNA by teratogenic doses of retinoids in murine fetuses, 45, 103–108

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

F. Herzberg, A. Pöting, D. Wedlich
Identification of Ca^{2+}-dependent cell adhesion molecules in *Xenopus* by the use of interspecies homology, 44, 1–7

C. Hochhuth, D. Doenecke
The expression of the histone H1° gene in the human hepatoma cell line HepG2 is independent of the state of cell proliferation, 43, 212–219

J.R. Kuykendall, R. Cox
2-Aminobenzamide, an inhibitor of ADP-ribosylation, antagonizes induced DNA hypomethylation during differentiation of murine Friend erythroleukemia cells by N′-methylnicotinamide, 44, 69–73

L. Kwong, G. Weeks
The effects of presumptive morphogens on prestalk and prespore gene expression in monolayers of *Dictyostelium discoideum*, 44, 88–94

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

F. Mallein-Gerin, F. Ruggiero, R. Garrone
Proteoglycan core protein and type II collagen gene expressions are not correlated with cell shape changes during low density chondrocyte cultures, 43, 204–211

F.A. Peverali, M. D'Esposito, D. Acampora, G. Bunone, M. Negri, A. Faiella, A. Stornaiuolo, M. Pannese, E. Migliaccio, A. Simeone, G. Della Valle, E. Boncinelli
Expression of HOX homeogenes in human neuroblastoma cell culture lines, 45, 61–69

D. Rungger, L. Muster, R. Boeck, A. Nichols
Tissue-specific trans-activation of the rabbit β-globin promoter in *Xenopus* oocytes, 44, 8–17

R.L. Stone, D.A. Bernlohr
The molecular basis for inhibition of adipose conversion of murine 3T3-L1 cells by retinoic acid, 45, 119–127

W.L. Strauss
Complexities and sequence similarities of mRNA populations of cholinergic (NS20-Y) and adrenergic (N1E-115) murine neuroblastoma cell lines, 44, 56–61

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

R. Tawa, T. Ono, A. Kurishita, S. Okada, S. Hirose
Changes of DNA methylation level during pre- and postnatal periods in mice, 45, 44–48

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation state of a distinct CpG site in the remote 5′-flanking region of the gene, 43, 105–114

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

Gene transfection

D.M. Faust, T. Imaizumi-Scherrer, M.-C. Fulchignoni-Lataud, A.-M. Catherin, I. Iost, M.C. Weiss
Activation of phenylalanine hydroxylase expression following genomic DNA transfection of hepatoma cells, 44, 74–79

Genital tract epithelia

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Germ cell development

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

F. Zaccanti, M. Vallisneri, A. Quaglia
Early aspects of sex differentiation in the gonads of chick embryos, 43, 71–80

Gizzard

A. Andrew, B.B. Rawdon
Intestinal mesenchyme provokes differentiation of intestinal endocrine cells in gizzard endoderm, 43, 165–174

Glia cells

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

Glycolipids

P.W. Andrews, E. Nudelman, S.-I. Hakomori, B.A. Fenderson
Different patterns of glycolipid antigens are expressed following differentiation of TERA-2 human embryonal carcinoma cells induced by retinoic acid, hexamethylene bisacetamide (HMBA) or bromodeoxyuridine (BUdR), 43, 131–138

Glycolysis

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

Glycoproteins

S. Keeble, F.M. Watt
Characterisation of the peanut lectin-binding glycoproteins of human epidermal keratinocytes, 43, 139–145

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Goldfish

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

Gonad formation

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

F. Zaccanti, M. Vallisneri, A. Quaglia
Early aspects of sex differentiation in the gonads of chick embryos, 43, 71–80

Growth factors

A. Cirillo, C. Arruti, Y. Courtois, J.-C. Jeanny
Localization of basic fibroblast growth factor binding sites in the chick embryonic neural retina, 45, 161–167

E.C. Salido, J. Lakshmanan, L.J. Shapiro, D.A. Fisher, L. Barajas
Expression of epidermal growth factor in the kidney and submandibular gland during mouse postnatal development. An immunocytochemical and in situ hybridization study, 45, 38–43

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Hair follicles

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Head activator

H.C. Schaller, M. Hofmann, L.C. Javois
Effect of head activator on proliferation, head-specific determination and differentiation of epithelial cells in hydra, 43, 157–164

Hemidesmosomes

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Heparan sulfate proteoglycans

A. Cirillo, C. Arruti, Y. Courtois, J.-C. Jeanny
Localization of basic fibroblast growth factor binding sites in the chick embryonic neural retina, 45, 161–167

Heparin-binding growth factors

A. Cirillo, C. Arruti, Y. Courtois, J.-C. Jeanny
Localization of basic fibroblast growth factor binding sites in the chick embryonic neural retina, 45, 161–167

Hepatocarcinogenesis

N.V. Engelhardt, V.M. Factor, A.K. Yasova, V.S. Poltoranina, V.N. Baranov, M.N. Lasareva
Common antigens of mouse oval and biliary epithelial cells. Expression on newly formed hepatocytes, 45, 29–37

Hepatocyte differentiation

P. Schmid, W.A. Schulz
Coexpression of the C-MYC protooncogene with α-fetoprotein and albumin in fetal mouse liver, 45, 96–102

Hepatocytes

N.V. Engelhardt, V.M. Factor, A.K. Yasova, V.S. Poltoranina, V.N. Baranov, M.N. Lasareva
Common antigens of mouse oval and biliary epithelial cells. Expression on newly formed hepatocytes, 45, 29–37

Hepatoma

D.M. Faust, T. Imaizumi-Scherrer, M.-C. Fulchignoni-Lataud, A.-M. Catherin, I. Iost, M.C. Weiss
Activation of phenylalanine hydroxylase expression following genomic DNA transfection of hepatoma cells, 44, 74–79

C. Hochhuth, D. Doenecke
The expression of the histone H1° gene in the human hepatoma cell line HepG2 is independent of the state of cell proliferation, 43, 212–219

Histiocytes

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

Histones

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

C. Hochhuth, D. Doenecke
The expression of the histone H1° gene in the human hepatoma cell line HepG2 is independent of the state of cell proliferation, 43, 212–219

HL60 cell line

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

Homeotic genes

F.A. Peverali, M. D'Esposito, D. Acampora, G. Bunone, M. Negri, A. Faiella, A. Stornaiuolo, M. Pannese, E. Migliaccio, A. Simeone, G. Della Valle, E. Boncinelli
Expression of HOX homeogenes in human neuroblastoma cell culture lines, 45, 61–69

Human cell lines

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

Human development

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

Human skin

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

P. Boukamp, D. Breitkreutz, H.-J. Stark, N.E. Fusenig
Mesenchyme-mediated and endogenous regulation of growth and differentiation of human skin keratinocytes derived from different body sites, 44, 150–161

Hydra

H.C. Schaller, M. Hofmann, L.C. Javois
Effect of head activator on proliferation, head-specific determination and differentiation of epithelial cells in hydra, 43, 157–164

Hydrogen peroxide

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

Hydroxyapatite

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

Immortalization

S. Iujvidin, O. Fuchs, U. Nudel, D. Yaffe
SV40 immortalizes myogenic cells: DNA synthesis and mitosis in differentiating myotubes, 43, 192–203

Immunoglobulin superfamily

R.-P. Huang, M. Ozawa, K. Kadomatsu, T. Muramatsu
Developmentally regulated expression of embigin, a member of the immunoglobulin superfamily found in embryonal carcinoma cells, 45, 76–83

Inhibin

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

Inner cell mass

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Innervation

V. Andrés, R. Cussó, J. Carreras
Effect of denervation on the distribution and developmental transition of phosphoglycerate mutase and creatine phosphokinase isozymes in rat muscles of different fiber-type composition, 43, 98–103

S. Filoni, L. Paglialunga
Effect of denervation on hindlimb regeneration in *Xenopus laevis* larvae, 43, 10–19

Intercellular communication

L.M. Chailakhyan
Ligand-receptor and junction-mediated cell-cell interactions: comparison of the two principles, 45, 1–6

Interferon

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

G. Maor, S. Salzberg, M. Silbermann
The activity of 2,5-oligoadenylate synthetase, an interferon-induced enzyme, is coupled to the differentiation state of mouse condylar cartilage, 44, 18–24

Intermediate filaments

A. Andrew, B.B. Rawdon
Intestinal mesenchyme provokes differentiation of intestinal endocrine cells in gizzard endoderm, 43, 165–174

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

B.L. Bader, W.W. Franke
Cell type-specific and efficient synthesis of human cytokeratin 19 in transgenic mice, 45, 109–118

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

S.E. LaFlamme, I.B. Dawid
XK endo B is preferentially expressed in several induced embryonic tissues during the development of *Xenopus laevis*, 43, 1–9

L. Langbein, H. Kosmehl, D. Katenkamp, G. Neupert, K.-J. Stiller
Experimentally induced murine rhabdomyosarcomas – correlation between cellular contacts, matrix formation and cellular differentiation, 44, 185–196

K. Lindberg, J.G. Rheinwald
Three distinct keratinocyte subtypes identified in human oral epithelium by their patterns of keratin expression in culture and in xenografts, 45, 230–241

C. Mørk, B. van Deurs, O.W. Petersen
Regulation of vimentin expression in cultured human mammary epithelial cells, 43, 146–156

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

R. Probstmeier, R. Martini, R. Tacke, M. Schachner
Expression of the adhesion molecules L1, N-CAM and J1/tenascin during development of the murine small intestine, 44, 42–55

P. Stosiek, M. Kasper, U. Karsten
Expression of cytokeratins 8 and 18 in human Sertoli cells of immature and atrophic seminiferous tubules, 43, 66–70

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation state of a distinct CpG site in the remote 5′-flanking region of the gene, 43, 105–114

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

Intracellular calcium

V.P. Bozhkova, L.V. Sharova, D.A. Voronov
Ca^{2+}-induced change of dorsal-ventral polarity in frog (*Rana temporaria*) eggs, 44, 173–177

Involucrin

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

P. Boukamp, D. Breitkreutz, H.-J. Stark, N.E. Fusenig
Mesenchyme-mediated and endogenous regulation of growth and differentiation of human skin keratinocytes derived from different body sites, 44, 150–161

Isoenzymes

V. Andrés, R. Cussó, J. Carreras
Effect of denervation on the distribution and developmental transition of phosphoglycerate mutase and creatine phosphokinase isozymes in rat muscles of different fiber-type composition, 43, 98–103

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

Junctions

L.M. Chailakhyan
Ligand-receptor and junction-mediated cell-cell interactions: comparison of the two principles, 45, 1–6

F. Herzberg, A. Põting, D. Wedlich
Identification of Ca^{2+}-dependent cell adhesion molecules in *Xenopus* by the use of interspecies homology, 44, 1–7

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Keratinocytes

D. Asselineau, B.A. Dale, B.A. Bernard
Filaggrin production by cultured human epidermal keratinocytes and its regulation by retinoic acid, 45, 221–229

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

P. Boukamp, D. Breitkreutz, H.-J. Stark, N.E. Fusenig
Mesenchyme-mediated and endogenous regulation of growth and

differentiation of human skin keratinocytes derived from different body sites, 44, 150–161

S. Keeble, F.M. Watt
Characterisation of the peanut lectin-binding glycoproteins of human epidermal keratinocytes, 43, 139–145

K. Lindberg, J.G. Rheinwald
Three distinct keratinocyte subtypes identified in human oral epithelium by their patterns of keratin expression in culture and in xenografts, 45, 230–241

Keratins

B.L. Bader, W.W. Franke
Cell type-specific and efficient synthesis of human cytokeratin 19 in transgenic mice, 45, 109–118

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

P. Boukamp, D. Breitkreutz, H.-J. Stark, N.E. Fusenig
Mesenchyme-mediated and endogenous regulation of growth and differentiation of human skin keratinocytes derived from different body sites, 44, 150–161

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

S.E. LaFlamme, I.B. Dawid
XK endo B is preferentially expressed in several induced embryonic tissues during the development of *Xenopus laevis*, 43, 1–9

K. Lindberg, J.G. Rheinwald
Three distinct keratinocyte subtypes identified in human oral epithelium by their patterns of keratin expression in culture and in xenografts, 45, 230–241

C. Mørk, B. van Deurs, O.W. Petersen
Regulation of vimentin expression in cultured human mammary epithelial cells, 43, 146–156

P. Stosiek, M. Kasper, U. Karsten
Expression of cytokeratins 8 and 18 in human Sertoli cells of immature and atrophic seminiferous tubules, 43, 66–70

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation state of a distinct CpG site in the remote 5′-flanking region of the gene, 43, 105–114

Kidney

E.C. Salido, J. Lakshmanan, L.J. Shapiro, D.A. Fisher, L. Barajas
Expression of epidermal growth factor in the kidney and submandibular gland during mouse postnatal development. An immunocytochemical and in situ hybridization study, 45, 38–43

Laminin

A. Damjanov, U.M. Wewer, B. Tuma, I. Damjanov
Basement membrane components secreted by mouse yolk sac carcinoma cell lines, 45, 84–95

N. Zagris, A.E. Chung
Distribution and functional role of laminin during induction of the embryonic axis in the chick embryo, 43, 81–86

Lectins

S. Keeble, F.M. Watt
Characterisation of the peanut lectin-binding glycoproteins of human epidermal keratinocytes, 43, 139–145

Lens

A. Schmitt-Gräff, H. Pau, R. Spahr, H.M. Piper, O. Skalli, G. Gabbiani
Appearance of alpha-smooth muscle actin in human eye lens cells of anterior capsular cataract and in cultured bovine lens-forming cells, 43, 115–122

Leukemia

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

Limb bud

S.Filoni, L. Paglialunga
Effect of denervation on hindlimb regeneration in *Xenopus laevis* larvae, 43, 10–19

Limb regneration

S.Filoni, L. Paglialunga
Effect of denervation on hindlimb regeneration in *Xenopus laevis* larvae, 43, 10–19

Liver cells

N.V. Engelhardt, V.M. Factor, A.K. Yasova, V.S. Poltoranina, V.N. Baranov, M.N. Lasareva
Common antigens of mouse oval and biliary epithelial cells. Expression on newly formed hepatocytes, 45, 29–37

D.M. Faust, T. Imaizumi-Scherrer, M.-C. Fulchignoni-Lataud, A.-M. Catherin, I. Iost, M.C. Weiss
Activation of phenylalanine hydroxylase expression following genomic DNA transfection of hepatoma cells, 44, 74–79

C. Hochhuth, D. Doenecke
The expression of the histone H1° gene in the human hepatoma cell line HepG2 is independent of the state of cell proliferation, 43, 212–219

P. Schmid, W.A. Schulz
Coexpression of the C-MYC protooncogene with α-fetoprotein and albumin in fetal mouse liver, 45, 96–102

Lung

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Lymphoma

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

Macrophages

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

Mammalian embryogenesis (see: Embryogenesis (mammalian))

Mammary gland

C. Mørk, B. van Deurs, O.W. Petersen
Regulation of vimentin expression in cultured human mammary epithelial cells, 43, 146–156

Mandible

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen

synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Mathematical models

L. Edelstein-Keshet, G.B. Ermentrout
Contact response of cells can mediate morphogenetic pattern formation, 45, 147–159

Membrane-cytoskeleton interaction

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Mesenchymal factors

A. Andrew, B.B. Rawdon
Intestinal mesenchyme provokes differentiation of intestinal endocrine cells in gizzard endoderm, 43, 165–174

P. Boukamp, D. Breitkreutz, H.-J. Stark, N.E. Fusenig
Mesenchyme-mediated and endogenous regulation of growth and differentiation of human skin keratinocytes derived from different body sites, 44, 150–161

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

Mesenchyme

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

Mesothelium

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Messenger RNAs

A. Pöting, K. Danker, L. Hartmann, M. Köster, D. Wedlich, W. Knöchel
Two different mRNAs coding for identical elongation factor 1α(EF-1α) polypeptides in *Xenopus laevis* embryos, 44, 103–110

Methylation (see: DNA methylation)

Microfilaments (see: Actins)

Microinjection

S.M. Brennan
Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in *Xenopus laevis*, 44, 111–121

Microvilli

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

Mineralization

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Mitogens

H.C. Schaller, M. Hofmann, L.C. Javois
Effect of head activator on proliferation, head-specific determination and differentiation of epithelial cells in hydra, 43, 157–164

Modulation of differentiation

N. Auersperg, I.A. MacLaren, M.J. Bissell
V-K-ras transformation induces reversion to an earlier developmental form in adult rat adrenal cells, 43, 29–36

Monocytes

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

Morphogenesis, models

L. Edelstein-Keshet, G.B. Ermentrout
Contact response of cells can mediate morphogenetic pattern formation, 45, 147–159

Morphogens

L. Kwong, G. Weeks
The effects of presumptive morphogens on prestalk and prespore gene expression in monolayers of *Dictyostelium discoideum*, 44, 88–94

Mouse embryogenesis

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

G. Barbieri, L. De Angelis, S. Feo, G. Cossu, A. Giallongo
Differential expression of muscle-specific enolase in embryonic and fetal myogenic cells during mouse development, 45, 179–184

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

D.C. Harnish, A.B. Barua, K.J. Soprano, D.R. Soprano
Induction of β-retinoic acid receptor mRNA by teratogenic doses of retinoids in murine fetuses, 45, 103–108

R.-P. Huang, M. Ozawa, K. Kadomatsu, T. Muramatsu
Developmentally regulated expression of embigin, a member of the immunoglobulin superfamily found in embryonal carcinoma cells, 45, 76–83

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

G. Maor, S. Salzberg, M. Silbermann
The activity of 2,5-oligoadenylate synthetase, an interferon-induced enzyme, is coupled to the differentiation state of mouse condylar cartilage, 44, 18–24

M.P. Mark, J.R. Baker, K. Morrison, J.V. Ruch
Chondroitin sulfates in developing mouse tooth germs. An immunohistochemical study with monoclonal antibodies against chondroitin-4 and chondroitin-6 sulfates, 43, 37–50

E.C. Salido, J. Lakshmanan, L.J. Shapiro, D.A. Fisher, L. Barajas
Expression of epidermal growth factor in the kidney and submandibular gland during mouse postnatal development. An immunocytochemical and in situ hybridization study, 45, 38–43

P. Schmid, W.A. Schulz
Coexpression of the C-MYC protooncogene with α-fetoprotein and albumin in fetal mouse liver, 45, 96–102

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

Mucin

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Müllerian duct epithelia

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Multipotential cells

N. Auersperg, I.A. MacLaren, M.J. Bissell
V-K-ras transformation induces reversion to an earlier developmental form in adult rat adrenal cells, 43, 29–36

A. Damjanov, U.M. Wewer, B. Tuma, I. Damjanov
Basement membrane components secreted by mouse yolk sac carcinoma cell lines, 45, 84–95

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Muscle differentiation

V. Andrés, R. Cussó, J. Carreras
Effect of denervation on the distribution and developmental transition of phosphoglycerate mutase and creatine phosphokinase isozymes in rat muscles of different fiber-type composition, 43, 98–103

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

G. Barbieri, L. De Angelis, S. Feo, G. Cossu, A. Giallongo
Differential expression of muscle-specific enolase in embryonic and fetal myogenic cells during mouse development, 45, 179–184

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

R.D. Cox, I. Garner, M.E. Buckingham
Transcriptional regulation of actin and myosin genes during differentiation of a mouse muscle cell line, 43, 183–191

S. Düsterhöft, D. Pette
Effects of electrically induced contractile activity on cultured embryonic chick breast muscle cells, 44, 178–184

P. Einat, M. Shani, D. Yaffe
The amount of the endogenous and exogenous skeletal muscle actin mRNA in the heart of transgenic mice is affected by the genotype of the cardiac actin gene, 44, 36–41

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

S. Iujvidin, O. Fuchs, U. Nudel, D. Yaffe
SV40 immortalizes myogenic cells: DNA synthesis and mitosis in differentiating myotubes, 43, 192–203

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

L. Langbein, H. Kosmehl, D. Katenkamp, G. Neupert, K.-J. Stiller
Experimentally induced murine rhabdomyosarcomas – correlation between cellular contacts, matrix formation and cellular differentiation, 44, 185–196

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

V. Schmid, G. Plickert
The proportion altering factor (PAF) and the in vitro transdifferentiation of isolated striated muscle of jellyfish into nerve cells, 44, 95–102

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

Muscle tumors

L. Langbein, H. Kosmehl, D. Katenkamp, G. Neupert, K.-J. Stiller
Experimentally induced murine rhabdomyosarcomas – correlation between cellular contacts, matrix formation and cellular differentiation, 44, 185–196

Myc

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

P. Schmid, W.A. Schulz
Coexpression of the C-MYC protooncogene with α-fetoprotein and albumin in fetal mouse liver, 45, 96–102

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

Myelopoiesis

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

Myoblasts

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

S. Iujvidin, O. Fuchs, U. Nudel, D. Yaffe
SV40 immortalizes myogenic cells: DNA synthesis and mitosis in differentiating myotubes, 43, 192–203

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

Myoepithelial cells

C. Mørk, B. van Deurs, O.W. Petersen
Regulation of vimentin expression in cultured human mammary epithelial cells, 43, 146–156

Myogenesis (see: Muscle differentiation)

Myosin

R.D. Cox, I. Garner, M.E. Buckingham
Transcriptional regulation of actin and myosin genes during differentiation of a mouse muscle cell line, 43, 183–191

S. Düsterhöft, D. Pette
Effects of electrically induced contractile activity on cultured embryonic chick breast muscle cells, 44, 178–184

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

Z. Yablonka-Reuveni, M. Nameroff
Temporal differences in desmin expression between myoblasts from embryonic and adult chicken skeletal muscle, 45, 21–28

Myotubes

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

S. Düsterhöft, D. Pette
Effects of electrically induced contractile activity on cultured embryonic chick breast muscle cells, 44, 178–184

S. Iujvidin, O. Fuchs, U. Nudel, D. Yaffe
SV40 immortalizes myogenic cells: DNA synthesis and mitosis in differentiating myotubes, 43, 192–203

Myxomycetes

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

Nerve cell differentiation

V. Schmid, G. Plickert
The proportion altering factor (PAF) and the in vitro transdifferentiation of isolated striated muscle of jellyfish into nerve cells, 44, 95–102

Neural crest

A.C. Graveson, J.B. Armstrong
The premature death (*p*) mutation of *Ambystoma mexicanum* affects a subpopulation of neural crest cells, 45, 71–75

Neural precursor cells

S. Griegel, K. Heise, A. Kindler-Röhrborn, M.F. Rajewsky
In vitro differentiation of human retinoblastoma cells into neuronal phenotypes, 45, 250–257

Neuroblastoma cells

F.A. Peverali, M. D'Esposito, D. Acampora, G. Bunone, M. Negri, A. Faiella, A. Stornaiuolo, M. Pannese, E. Migliaccio, A. Simeone, G. Della Valle, E. Boncinelli
Expression of HOX homeogenes in human neuroblastoma cell culture lines, 45, 61–69

Neuroendocrine cells

A. Andrew, B.B. Rawdon
Intestinal mesenchyme provokes differentiation of intestinal endocrine cells in gizzard endoderm, 43, 165–174

W.L. Strauss
Complexities and sequence similarities of mRNA populations of cholinergic (NS20-Y) and adrenergic (N1E-115) murine neuroblastoma cell lines, 44, 56–61

Neuronal differentiation

S. Griegel, K. Heise, A. Kindler-Röhrborn, M.F. Rajewsky
In vitro differentiation of human retinoblastoma cells into neuronal phenotypes, 45, 250–257

F.A. Peverali, M. D'Esposito, D. Acampora, G. Bunone, M. Negri, A. Faiella, A. Stornaiuolo, M. Pannese, E. Migliaccio, A. Simeone, G. Della Valle, E. Boncinelli
Expression of HOX homeogenes in human neuroblastoma cell culture lines, 45, 61–69

W.L. Strauss
Complexities and sequence similarities of mRNA populations of cholinergic (NS20-Y) and adrenergic (N1E-115) murine neuroblastoma cell lines, 44, 56–61

Nuclear proteins

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

C. Hochhuth, D. Doenecke
The expression of the histone H1° gene in the human hepatoma cell line HepG2 is independent of the state of cell proliferation, 43, 212–219

Odontogenesis

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

M.P. Mark, J.R. Baker, K. Morrison, J.V. Ruch
Chondroitin sulfates in developing mouse tooth germs. An immunohistochemical study with monoclonal antibodies against chondroitin-4 and chondroitin-6 sulfates, 43, 37–50

Oligoadenylate synthetase

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

Oncogenes

N. Auersperg, I.A. MacLaren, M.J. Bissell
V-K-ras transformation induces reversion to an earlier developmental form in adult rat adrenal cells, 43, 29–36

M. Birnbaum, B. Trink, A. Shainberg, S. Salzberg
Activation of the interferon system during myogenesis in vitro, 45, 138–145

R. Goralczyk, E.I. Closs, U. Rüther, E.F. Wagner, P.G. Strauss, V. Erfle, J. Schmidt
Characterization of *fos*-induced osteogenic tumours and tumour-derived murine cell lines, 44, 122–131

P. Schmid, W.A. Schulz
Coexpression of the C-MYC protooncogene with α-fetoprotein and albumin in fetal mouse liver, 45, 96–102

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

Oocytes

D. Rungger, L. Muster, R. Boeck, A. Nichols
Tissue-specific trans-activation of the rabbit β-globin promoter in *Xenopus* oocytes, 44, 8–17

Oogenesis

V.P. Bozhkova, L.V. Sharova, D.A. Voronov
Ca^{2+}-induced change of dorsal-ventral polarity in frog (*Rana temporaria*) eggs, 44, 173–177

A. Pöting, K. Danker, L. Hartmann, M. Köster, D. Wedlich, W. Knöchel
Two different mRNAs coding for identical elongation factor 1α(EF-1α) polypeptides in *Xenopus laevis* embryos, 44, 103–110

Optic nerv

S. Giordano, C. Hall, W. Quitschke, E. Glasgow, N. Schechter
Keratin 8 of simple epithelia is expressed in glia of the goldfish nervous system, 44, 163–172

Oral mucosa

K. Lindberg, J.G. Rheinwald
Three distinct keratinocyte subtypes identified in human oral epithelium by their patterns of keratin expression in culture and in xenografts, 45, 230–241

Orientation selection

L. Edelstein-Keshet, G.B. Ermentrout
Contact response of cells can mediate morphogenetic pattern formation, 45, 147–159

Osmolarity

B. Wetterauer, H.K. MacWilliams
A developmental shift in cell volume regulation in *Dictyostelium discoideum*, 45, 14–20

Osteocalcin

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

Osteocytes

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

Osteogenesis

M. Bouvier, M.-L. Couble, D.J. Hartmann, J.P. Gauthier, H. Magloire
Ultrastructural and immunocytochemical study of bone-derived cells cultured in three-dimensional matrices: Influence of chondroitin-4 sulfate on mineralization, 45, 128–137

R. Goralczyk, E.I. Closs, U. Rüther, E.F. Wagner, P.G. Strauss, V. Erfle, J. Schmidt
Characterization of *fos*-induced osteogenic tumours and tumour-derived murine cell lines, 44, 122–131

R.M. Langille, M. Solursh
Formation of chondrous and osseous tissues in micromass cultures of rat frontonasal and mandibular ectomesenchyme, 44, 197–206

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Ovary

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

Parallel arrays

L. Edelstein-Keshet, G.B. Ermentrout
Contact response of cells can mediate morphogenetic pattern formation, 45, 147–159

Pattern formation

L. Edelstein-Keshet, G.B. Ermentrout
Contact response of cells can mediate morphogenetic pattern formation, 45, 147–159

Pemphigoid

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Phenylalanine hydroxylase

D.M. Faust, T. Imaizumi-Scherrer, M.-C. Fulchignoni-Lataud, A.-M. Catherin, I. Iost, M.C. Weiss
Activation of phenylalanine hydroxylase expression following genomic DNA transfection of hepatoma cells, 44, 74–79

Phorbol esters

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

Phosphofructokinase

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

Physarum

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

Plaque proteins

K. Owaribe, J. Kartenbeck, S. Stumpp, T.M. Magin, T. Krieg, L.A. Diaz, W.W. Franke
The hemidesmosomal plaque. I. Characterization of a major constituent protein as a differentiation marker for certain forms of epithelia, 45, 207–220

Plasmodia

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

Polyamine metabolism

R.A. Gramzinski, R.E. Parchment, G.B. Pierce
Evidence linking programmed cell death in the blastocyst to polyamine oxidation, 43, 59–65

Postnatal development

E.C. Salido, J. Lakshmanan, L.J. Shapiro, D.A. Fisher, L. Barajas
Expression of epidermal growth factor in the kidney and submandibular gland during mouse postnatal development. An immunocytochemical and in situ hybridization study, 45, 38–43

Prespore differentiation

Y. Yamada, K. Okamoto
Three steps in prespore differentiation in *Dictyostelium discoideum* with different requirements of cellular interaction, 44, 81–87

Proliferation

L.M. Chailakhyan
Ligand-receptor and junction-mediated cell-cell interactions: comparison of the two principles, 45, 1–6

S. Iujvidin, O. Fuchs, U. Nudel, D. Yaffe
SV40 immortalizes myogenic cells: DNA synthesis and mitosis in differentiating myotubes, 43, 192–203

C. Hochhuth, D. Doenecke
The expression of the histone H1° gene in the human hepatoma cell line HepG2 is independent of the state of cell proliferation, 43, 212–219

Promoters

D. Rungger, L. Muster, R. Boeck, A. Nichols
Tissue-specific trans-activation of the rabbit β-globin promoter in *Xenopus* oocytes, 44, 8–17

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

Proteoglycans

F. Mallein-Gerin, F. Ruggiero, R. Garrone
Proteoglycan core protein and type II collagen gene expressions are not correlated with cell shape changes during low density chondrocyte cultures, 43, 204–211

G. Maor, S. Salzberg, M. Silbermann
The activity of 2,5-oligoadenylate synthetase, an interferon-induced enzyme, is coupled to the differentiation state of mouse condylar cartilage, 44, 18–24

Pyruvate kinase

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

Ras oncogene

N. Auersperg, I.A. MacLaren, M.J. Bissell
V-K-ras transformation induces reversion to an earlier developmental form in adult rat adrenal cells, 43, 29–36

Rat embryogenesis

J. Zernik, K. Twarog, W.B. Upholt
Regulation of alkaline phosphatase and alpha2(I) procollagen synthesis during early intramembranous bone formation in the rat mandible, 44, 207–215

Receptors

L.M. Chailakhyan
Ligand-receptor and junction-mediated cell-cell interactions: comparison of the two principles, 45, 1–6

Regeneration

S.Filoni, L. Paglialunga
Effect of denervation on hindlimb regeneration in *Xenopus laevis* larvae, 43, 10–19

Replication

V. Schmid, G. Plickert
The proportion altering factor (PAF) and the in vitro transdifferentiation of isolated striated muscle of jellyfish into nerve cells, 44, 95–102

Respiratory tract

E.J. Nouwen, S. Dauwe, M.E. De Broe
Occurrence of the mucinous differentiation antigen CA125 in genital tract and conductive airway epithelia of diverse mammalian species (rabbit, dog, monkey), 45, 192–198

Retina

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

Retina development

S. Griegel, K. Heise, A. Kindler-Röhrborn, M.F. Rajewsky
In vitro differentiation of human retinoblastoma cells into neuronal phenotypes, 45, 250–257

Retinoblastoma

S. Griegel, K. Heise, A. Kindler-Röhrborn, M.F. Rajewsky
In vitro differentiation of human retinoblastoma cells into neuronal phenotypes, 45, 250–257

Retinoic acid

P.W. Andrews, E. Nudelman, S.-I. Hakomori, B.A. Fenderson
Different patterns of glycolipid antigens are expressed following differentiation of TERA-2 human embryonal carcinoma cells induced by retinoic acid, hexamethylene bisacetamide (HMBA) or bromodeoxyuridine (BUdR), 43, 131–138

D. Asselineau, B.A. Dale, B.A. Bernard
Filaggrin production by cultured human epidermal keratinocytes and its regulation by retinoic acid, 45, 221–229

H.E. van Erp, G. Rijksen, P.T. van der Saag, G.E.J. Staal
Phosphofructokinase and pyruvate kinase in mouse embryonal carcinoma P19 cells in relation to growth and differentiation, 45, 199–205

D.C. Harnish, A.B. Barua, K.J. Soprano, D.R. Soprano
Induction of β-retinoic acid receptor mRNA by teratogenic doses of retinoids in murine fetuses, 45, 103–108

F.A. Peverali, M. D'Esposito, D. Acampora, G. Bunone, M. Negri, A. Faiella, A. Stornaiuolo, M. Pannese, E. Migliaccio, A. Simeone, G. Della Valle, E. Boncinelli
Expression of HOX homeogenes in human neuroblastoma cell culture lines, 45, 61–69

R.L. Stone, D.A. Bernlohr
The molecular basis for inhibition of adipose conversion of murine 3T3-L1 cells by retinoic acid, 45, 119–127

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

D.D. Taylor, C.G. Taylor, P.H. Black, C.-g. Jiang, I.N. Chou
Alterations of cellular characteristics of a human ovarian teratocarcinoma cell line after in vitro treatment with retinoids, 43, 123–130

Rhabdomyosarcomas

L. Langbein, H. Kosmehl, D. Katenkamp, G. Neupert, K.-J. Stiller
Experimentally induced murine rhabdomyosarcomas – correlation between cellular contacts, matrix formation and cellular differentiation, 44, 185–196

Sarcomas

R. Goralczyk, E.I. Closs, U. Rüther, E.F. Wagner, P.G. Strauss, V. Erfle, J. Schmidt
Characterization of *fos*-induced osteogenic tumours and tumour-derived murine cell lines, 44, 122–131

Sarcomeres (see: Muscle differentiation)

Seminiferous tubules

P. Stosiek, M. Kasper, U. Karsten
Expression of cytokeratins 8 and 18 in human Sertoli cells of immature and atrophic seminiferous tubules, 43, 66–70

Sertoli cells

P. Stosiek, M. Kasper, U. Karsten
Expression of cytokeratins 8 and 18 in human Sertoli cells of immature and atrophic seminiferous tubules, 43, 66–70

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

Sex differentiation (see: Gonad formation)

Skeletal muscle (see: Muscle differentiation)

Skin carcinogenesis

H. Winter, M. Rentrop, R. Nischt, J. Schweizer
Tissue-specific expression of murine keratin K13 in internal stratified squamous epithelia and its aberrant expression during two-stage mouse skin carcinogenesis is associated with the methylation

state of a distinct CpG site in the remote 5'-flanking region of the gene, 43, 105–114

Skin

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Slime molds

G. Golderer, P. Gröbner
Effect of ADP-ribosylation on differentiation in *Physarum polycephalum*, 45, 7–13

L. Kwong, G. Weeks
The effects of presumptive morphogens on prestalk and prespore gene expression in monolayers of *Dictyostelium discoideum*, 44, 88–94

B. Wetterauer, H.K. MacWilliams
A developmental shift in cell volume regulation in *Dictyostelium discoideum*, 45, 14–20

Y. Yamada, K. Okamoto
Three steps in prespore differentiation in *Dictyostelium discoideum* with different requirements of cellular interaction, 44, 81–87

Smooth muscle cells

U. Hedin, M. Sjölund, A. Hultgårdh-Nilsson, J. Thyberg
Changes in expression and organization of smooth-muscle-specific α-actin during fibronectin-mediated modulation of arterial smooth muscle cell phenotype, 44, 222–231

M. Kedinger, P. Simon-Assmann, F. Bouziges, C. Arnold, E. Alexandre, K. Haffen
Smooth muscle actin expression during rat gut development and induction in fetal skin fibroblastic cells associated with intestinal embryonic epithelium, 43, 87–97

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

Spermiogenesis

P. Stosiek, M. Kasper, U. Karsten
Expression of cytokeratins 8 and 18 in human Sertoli cells of immature and atrophic seminiferous tubules, 43, 66–70

Spore formation

L. Kwong, G. Weeks
The effects of presumptive morphogens on prestalk and prespore gene expression in monolayers of *Dictyostelium discoideum*, 44, 88–94

Y. Yamada, K. Okamoto
Three steps in prespore differentiation in *Dictyostelium discoideum* with different requirements of cellular interaction, 44, 81–87

Squamous epithelia (see: Epithelial differentiation)

Stalk formation

L. Kwong, G. Weeks
The effects of presumptive morphogens on prestalk and prespore gene expression in monolayers of *Dictyostelium discoideum*, 44, 88–94

Submandibular gland

E.C. Salido, J. Lakshmanan, L.J. Shapiro, D.A. Fisher, L. Barajas
Expression of epidermal growth factor in the kidney and submandibular gland during mouse postnatal development. An immunocytochemical and in situ hybridization study, 45, 38–43

Synthetase (2,5-oligoadenylate)

G. Maor, S. Salzberg, M. Silbermann
The activity of 2,5-oligoadenylate synthetase, an interferon-induced enzyme, is coupled to the differentiation state of mouse condylar cartilage, 44, 18–24

Teratocarcinoma cells

P.W. Andrews, E. Nudelman, S.-I. Hakomori, B.A. Fenderson
Different patterns of glycolipid antigens are expressed following differentiation of TERA-2 human embryonal carcinoma cells induced by retinoic acid, hexamethylene bisacetamide (HMBA) or bromodeoxyuridine (BUdR), 43, 131–138

A. Damjanov, U.M. Wewer, B. Tuma, I. Damjanov
Basement membrane components secreted by mouse yolk sac carcinoma cell lines, 45, 84–95

R.-P. Huang, M. Ozawa, K. Kadomatsu, T. Muramatsu
Developmentally regulated expression of embigin, a member of the immunoglobulin superfamily found in embryonal carcinoma cells, 45, 76–83

D.D. Taylor, C.G. Taylor, P.H. Black, C.-g. Jiang, I.N. Chou
Alterations of cellular characteristics of a human ovarian teratocarcinoma cell line after in vitro treatment with retinoids, 43, 123–130

Teratogenic effects

D.C. Harnish, A.B. Barua, K.J. Soprano, D.R. Soprano
Induction of β-retinoic acid receptor mRNA by teratogenic doses of retinoids in murine fetuses, 45, 103–108

Testis

P. Stosiek, M. Kasper, U. Karsten
Expression of cytokeratins 8 and 18 in human Sertoli cells of immature and atrophic seminiferous tubules, 43, 66–70

S. Tone, Y. Katoh, H. Fujimoto, S. Togashi, M. Yanazawa, Y. Kato, T. Higashinakagawa
Expression of inhibin α-subunit gene during mouse gametogenesis, 44, 62–68

TGF

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Tooth formation

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

M.P. Mark, J.R. Baker, K. Morrison, J.V. Ruch
Chondroitin sulfates in developing mouse tooth germs. An immunohistochemical study with monoclonal antibodies against chondroitin-4 and chondroitin-6 sulfates, 43, 37–50

Transactivation

D. Rungger, L. Muster, R. Boeck, A. Nichols
Tissue-specific trans-activation of the rabbit β-globin promoter in *Xenopus* oocytes, 44, 8–17

Transcription factors

R.L. Stone, D.A. Bernlohr
The molecular basis for inhibition of adipose conversion of murine 3T3-L1 cells by retinoic acid, 45, 119–127

Transcription

R.D. Cox, I. Garner, M.E. Buckingham
Transcriptional regulation of actin and myosin genes during differentiation of a mouse muscle cell line, 43, 183–191

J.K. Vass, R. Neill, T. Jamieson, G.D. Birnie
Regulation of the relative abundances of c-*myc* mRNAs in human promyelocytic HL60 cells, 45, 49–54

Transdifferentiation

V. Schmid, G. Plickert
The proportion altering factor (PAF) and the in vitro transdifferentiation of isolated striated muscle of jellyfish into nerve cells, 44, 95–102

Transformation

N. Auersperg, I.A. MacLaren, M.J. Bissell
V-K-ras transformation induces reversion to an earlier developmental form in adult rat adrenal cells, 43, 29–36

Transgenic animals

B.L. Bader, W.W. Franke
Cell type-specific and efficient synthesis of human cytokeratin 19 in transgenic mice, 45, 109–118

P. Einat, M. Shani, D. Yaffe
The amount of the endogenous and exogenous skeletal muscle actin mRNA in the heart of transgenic mice is affected by the genotype of the cardiac actin gene, 44, 36–41

Translation

A. Pöting, K. Danker, L. Hartmann, M. Köster, D. Wedlich, W. Knöchel
Two different mRNAs coding for identical elongation factor 1α(EF-1α) polypeptides in *Xenopus laevis* embryos, 44, 103–110

Transplantation

N. Basset-Séguin, J.F. Culard, C. Kerai, F. Bernard, A. Watrin, J. Demaille, J.J. Guilhou
Reconstituted skin in culture: a simple method with optimal differentiation, 44, 232–238

Trichocytes

W.C. Weinberg, P.D. Brown, W.G. Stetler-Stevenson, S.H. Yuspa
Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination, 45, 168–178

Trophectoderm

R.E. Parchment, R.A. Gramzinski, G.B. Pierce
Neoplastic embryoid bodies of embryonal carcinoma C44 as a source of blastocele-like fluid, 43, 51–58

Tumor diagnosis

N.V. Engelhardt, V.M. Factor, A.K. Yasova, V.S. Poltoranina, V.N. Baranov, M.N. Lasareva
Common antigens of mouse oval and biliary epithelial cells. Expression on newly formed hepatocytes, 45, 29–37

Tumor promoters

M. Opas, E. Dziak
Effects of a tumour promoter, 12-0-tetradecanoyl-phorbol-13-acetate (TPA), on expression of differentiated phenotype in the chick retinal pigmented epithelial cells and on their interactions with the native basement membrane and with artificial substrata, 43, 20–28

Uvomorulin

F. Herzberg, A. Pöting, D. Wedlich
Identification of Ca^{2+}-dependent cell adhesion molecules in *Xenopus* by the use of interspecies homology, 44, 1–7

Vascular wall

K.O. Leslie, J.J. Mitchell, J.L. Woodcock-Mitchell, R.B. Low
Alpha smooth muscle actin expression in developing and adult human lung, 44, 143–149

S.T. Nikkari, J. Koistinaho, O. Jaakkola
Changes in the composition of cytoskeletal and cytocontractile proteins of rat aortic smooth muscle cells during aging, 44, 216–221

Villin

M.B. Heintzelman, M.S. Mooseker
Structural and compositional analysis of early stages in microvillus assembly in the enterocyte of the chick embryo, 43, 175–182

Vimentin

F. Babai, J. Musevi-Aghdam, W. Schurch, A. Royal, G. Gabbiani
Coexpression of α-sarcomeric actin, α-smooth muscle actin and desmin during myogenesis in rat and mouse embryos I. Skeletal muscle, 44, 132–142

C. Mørk, B. van Deurs, O.W. Petersen
Regulation of vimentin expression in cultured human mammary epithelial cells, 43, 146–156

M. Taimi, M.-T. Château, J. Marti, M. Pacaud
Induction of differentiation of the human histiocytic lymphoma cell line U937 in the absence of vimentin expression, 45, 55–60

Vinculin

H. Lesot, M.-D. Kubler, J.L. Fausser, J.-V. Ruch
A 165 kDa membrane antigen mediating fibronectin-vinculin interaction is involved in murine odontoblast differentiation, 44, 25–35

Vitamin A

D.C. Harnish, A.B. Barua, K.J. Soprano, D.R. Soprano
Induction of β-retinoic acid receptor mRNA by teratogenic doses of retinoids in murine fetuses, 45, 103–108

R.L. Stone, D.A. Bernlohr
The molecular basis for inhibition of adipose conversion of murine 3T3-L1 cells by retinoic acid, 45, 119–127

Volume regulation

B. Wetterauer, H.K. MacWilliams
A developmental shift in cell volume regulation in *Dictyostelium discoideum*, 45, 14–20

Xenografts

K. Lindberg, J.G. Rheinwald
Three distinct keratinocyte subtypes identified in human oral epithelium by their patterns of keratin expression in culture and in xenografts, 45, 230–241

Xenopus embryogenesis (see Amphibia and Embryogenesis (amphibian))

Xenopus

S.M. Brennan
Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in *Xenopus laevis*, 44, 111–121

S. Filoni, L. Paglialunga
Effect of denervation on hindlimb regeneration in *Xenopus laevis* larvae, 43, 10–19

F. Herzberg, A. Pöting, D. Wedlich
Identification of Ca^{2+}-dependent cell adhesion molecules in *Xenopus* by the use of interspecies homology, 44, 1–7

S.E. LaFlamme, I.B. Dawid
XK endo B is preferentially expressed in several induced embryonic tissues during the development of *Xenopus laevis*, 43, 1–9

A. Pöting, K. Danker, L. Hartmann, M. Köster, D. Wedlich, W. Knöchel
Two different mRNAs coding for identical elongation factor 1α(EF-1α) polypeptides in *Xenopus laevis* embryos, 44, 103–110

D. Rungger, L. Muster, R. Boeck, A. Nichols
Tissue-specific trans-activation of the rabbit β-globin promoter in *Xenopus* oocytes, 44, 8–17